CENTRAL INTELLIBERCE AGENCY

CA/PIR-12/63 Region 1963

5-9599

## SEARCH FOR URANIUM MINING IN THE VICINITY OF A-KO-SU; CHINA

Declass Review, NIMA/DoD



Published and Disseminates Sy

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

TOP SECKET

GROUP 1

TOP	SECRET	
-----	--------	--

# SEARCH FOR URANIUM MINING IN THE VICINITY OF A-KO-SU, CHINA

25X1

### SUMMARY AND CONCLUSIONS

25X1B

This report is in response to a request for a search from photography for uranium mining or other activity related to atomic energy within a 50-nautical mile (nm) radius of A-ko-su (41-10N 80-16E), Hsin-chiang Sheng (Sinkiang Province), China (Figure 1). Photography from

four missions

25X1D

25X1D

25X1D

was examined. The search revealed two areas of mining and prospecting activity located approximately 30 to 45 nm northeast of A-ko-su in the valleys of the Tien-shan range on the

Sino-Soviet border (Figure 2). A supply base for this activity was not definitely located.

The activity observed near A-ko-su is identified as the mining of coal which may possibly contain uranium. Lignite deposits are known to exist in the vicinity of A-ko-su.

25X1B




FIGURE 1. AREA OF SEARCH FOR URANIUM MINING.

- 1 -

TOP SECRET

25

25X

	ТОР	SECRET			25X
CIA	/PIR-12/63				
proc	Although photographic ev cessing was not observed nium extraction cannot be	l, the possibility of			25X <b>.</b> 1
		PHOTOGRAPHIC	OBSERVATIONS		
des and Eas peccexp We obs nur loc 25X1D rap (al fiv tio	mbers have been assign cations of mines and prospections of mines and prospections. The category of the catego	o areas which are the Eastern Area Figure 2). In the graites, one proslant, and a possible observed. In the specting sites were of description, site ned to identify the pects. The earliest photogof the mining sites showed a cluster of pparently in producat Site 1 and another my readied for prophotography resion and the presence use, although the pile	accumulation of coal replant, the total cumulat in the Eastern Area from probably began) to at 30,000 to 40,000 met tion for the period is estimated at 25, observed mining prospect Area is developed into area's annual coal product an additional 10,000 met mates do not allow for sof coal.	when digging is estimated tric tons. Coal production of coal production of coal when digging is estimated tric tons. Coal production.	25X1I 25X1I 25X1I 25X1I
ì			- 2 -		




FIGURE 2. AREAS OF MINING AND PROSPECTING ACTIVITY NEAR A-KO-SU, CHINA.

- 3 -

TOP SECRET

25)

25

25X1B

25X1B

Evidence of Security. The areas of mining activity are located in remote valleys. To the north is an area of high glacier-covered mountains, and to the south, treacherous sands are found on the alluvial fans at the valley mouths. The valleys physiographically resemble those emptying on the Fergana Valley of the USSR in being deep and narrow at their lower ends.

25X1B

Prison labor could be used at mine sites in these valleys with a minimum of control. Prisoners probably were brought to the mines in 1959 and 1960. Some security precautions were observed in the Eastern Area. A possible control point is located on the access road from Jam near the mouth of the first valley at Abad. Possible fences were observed at two of the mines (Sites 2 and 5).

25X1B

25X1B

25X1B

25X1B

Search for a Support Base. A support base for the observed mining activity was not definitely located.

type building was visible in the Eastern or Western Areas. Photography of the principal settlements--A-ko-su, Jam, and Wen-su--was examined closely. The activity at Wen-su, located in a valley with a steep eastern slope, is probably local in nature and not related to mining. A-ko-su is the most likely location for a general support base. Roads from the prospecting and mining sites converge on A-ko-su. Barnlike buildings on the eastern outskirts of the town and on the road to the mining areas may serve a support function.

25X1B

Barracks-type buildings on the large farms (presumably state farms), 21 nm south-southeast of the mines near Jam, may house administrative support for the Eastern Area, and the farms, located on the northern edge of the irrigated plains, may supply provisions for the mining settlements.

#### EASTERN AREA

The Eastern Area, located approximately 39 nm north-northeast of A-ko-su, is the principal area of mining activity in the region (Figure 2). A treatment plant and a possible explosives magazine are centrally located with respect to the mining and prospecting sites in the area. Access to the area is by a road from Jam 21 nm to the south-southeast. A possible control point is located 10 nm to the south-southeast of the treatment plant on the access road and near the mouth of the valley.

Treatment Plant (41-44N 80-42E). This plant is located at the junction of the access road from Abad with the road from the northwestern (Sites 1-3) and northern (Sites 4 and 5) sites and a road from the northeastern site (Site 6). The plant consists of two small adjoining square buildings identified as mills. A small pile of waste is located just south of each mill, a small rectangular building is located southeast of each mill, and a possible storage building is situated east of each mill.

25X1B

25X1B

25X1B

- 4 -

TOP SECRET

25X1

- -

25X1B

### TOP SECRET

CIA/PIR-12/63

25X1B Other features observed near the plant include the following: three medium-sized dormitory-type buildings located just west of the mills; a small square building identified as a possible control building located southwest of the plant on the west side of the access road; and a motor pool and/or equipment park, including a small rectangular building, located in a triangular area across the entrance-exit road. Possible Explosives Magazine (41-44N 80-This facility is located northwest of the 41E). treatment plant off the road to the western sites and near the junction with the road to the northwestern sites. Its location on the route between the mines and the treatment plant would allow trucks to carry return loads of explosives to the The possible explosives magazine is secured and road served. Although this facility 25X1D photography to appeared on the be inactive, light activity indicating partially 25X1D operating mines was observed on the 25X1D photography. Site 1 (41-47N 80-35E). This site is located on the eastern side of a valley and contains an opencut mine. A village is located west 25X1D of the mine in a valley. The photography indicated that the mine was being readied for production. The site is the western terminus of a well-traveled road which also serves Sites 2 and 3. The road was not being 25X1D used extensively in photography 25X1B 25X1B

Site 3 (41-45N 80-38E). Site 3 consists of two small opencut prospects which are located halfway up the west side of a ridge. The site probably contains only limited reserves of coal.

Site 4 (41-47N 80-41E). This site contains a possible opencut mine and a small housing area. The site is located on a perched upper slope. It is served by a branch from the well-traveled 25X1 road which also serves Site 5. The mine appeared to be inactive on the

<sup>25</sup>X1B Site 5 (41-47N 80-42E). This site is the oldest and best developed mining site in the It consists of a large portal mine located on the eastern side of a valley and a cluster of four small opencut mines located on the broken western slope of the valley where faults probably limit the availability of reserves. The portal mine may have large reserves. A small pile, probably of coal, is observed on the floor of the narrow valley at the junction of a loop road serving these mines and the road to the treatment plant. A possible housing area is located in the center of the valley. A possible guard fence, with guard towers, crosses the valley below the mines and the possible housing area. A fence partially encloses the portal mine.

- 5 -

Site 2 (41- $\frac{3}{6}$ N 80- $\frac{3}{5}$ E). This site contains

an open-pit mine, the largest mine in the area.

	TOP SECRET		25X1
	CIA/PIR-12/63		
25X1B		numerous trails leading to cliffs indicate other	
25X1B		prospecting activity. Three rows of unidentified objects, possibly huts or stacks of supplies,	
25X1D	photography re-	were observed in a valley west of the prospect.  Ten small settlements near the site serve as	
25X1B	vealed that the four opencut mines were inactive.	centers for farming and prospecting. The principal trail serving the site leads southward	
	Site 6 (41-49N 80-46E). Site 6 contains	through the village of Fakalik where it becomes	
	three small opencut mines located halfway up the	a secondary road leading to the east side of	
	eastern slope of a ridge. Each mine is served by	A-ko-su.	
	a steep, well-defined trail. Scattered settle-	Site 2 (41-44N 80-20E). Site 2 contains an	
05)/45	ments are located 3 nm down the valley. The	opencut prospect which is being cleared for an	
25X1D	photography indicated that the	open-pit mine. This prospect is located at the	
25X1B	mines were inactive,	foot of the western side of a low mountain. Trails	
25X1B		lead up the broken slopes of the mountain to small prospects. On the photography	25X1D
	WESTERN AREA	at the time of snow cover, the prospect appeared as a small dark area, and tracks connected it with	
	The Western Area, located approximately 34	a village around the mountain. The	25X1D
	nm north of A-ko-su, contains three prospecting	photography revealed a much wider and	
	sites (Figure 2). A prospect at one of the sites	darker area at the prospect.	05V4D
	(Site 2) is being developed for a mine. The sites	Site 3 (41-44N 80-21E). Site 3 contains	25X1D
	are served by two separate trails. Routes	five irregularly shaped opencut prospects which	
	suitable for vehicle use have been observed.	are located halfway up the eastern side of the	
	Site 1 (41-42N $80-15E$ ). Site 1 contains a	mountain. A trail connects this site with a small	
	prospect located in a mountain meadow, and	settlement in the valley.	
	BACKG	ROUND	
	According to a Soviet geologist, V. M.	velopments indicated that initial geological work	

western part of the Tarim Basin began in 1942-43. 3/ Geological field work continued intermittently until 1952-53 when localized detailed studies were carried out. In 1953 Sinitsyn prepared a geological map of the region as a guide to prospecting, and during 1955-56 he drafted a report on the region. 3/

Photography of showed that roads had been built from A-ko-su northward to

Sinitsyn, geological reconnaissance of the north-

Photography of showed that roads had been built from A-ko-su northward to the mining areas and that opencut mining and treatment of coal had been started. These de-

velopments indicated that initial geological work and prospecting were probably in progress by 1958, if not earlier.

25X1D

After prospecting during 1956-1957 the accumulation of coal shown by the reconnaissance indicates that miners were brought to the mines by 1959-1960. The presence of control points and fences in a mountainous

- 6 -

25X1D

TOP SECRET

25X1

TOP	SECRET	
-----	--------	--

region indicates the miners probably are prisoners.

The usual prospecting practice of trenching, pitting, and drilling was not seen at the prospects near A-ko-su. In order to confirm the size and extent of the deposits exposed at a likely prospect, the exposure of the outcrop is widened by digging away the overburden.

#### GEOLOGY OF THE A-KO-SU REGION

The geology of the Sino-Soviet border region supports the possibility that uranium is present in the ores mined near A-ko-su. The valleys where mining is observed near A-ko-su are geologically contemporaneous and lithologically similar to those emptying on the Fergana Valley in the USSR where lignite coal of the Jurassic geological age is mined. Likewise, at Kadzhi-Say, USSR, northwest of A-ko-su, lignites also of Jurassic age have been described. 4/ The A-ko-su, Fergana Valley, and the Kadzhi-Say

regions are seen on photography to have deeply eroded east/west throughgoing fault zones. Such fault or crush zones would facilitate the descent of uraniferous ground water. The broken or faulted lignite seams would provide a reducing environment for the precipitation of the uranium from the percolating ground water. The coal seams north of A-ko-su are broken by a series of north/south faults whose crushedrock zones have been enlarged by swiftly flowing rivers. The broken and faulted character of the A-ko-su mining region limits a knowledge of the reserves and makes prospecting and mining costly and uncertain. Sinitsyn concluded that special work would show the location of the coalbearing zones. 3/ He stated that the eastern or Kuche (Kuchar) coal basin which includes the A-ko-su region is the counterpart of the western or Yarkand-Fergana basin which extends from southern Hsin-chiang Sheng (Sinkiang) into the USSR. The appearance from photography of the region north of A-ko-su agrees with Sinitsyn's brief generalized geological description.

- 7 -

CIA/PIR-12/63						
		R	REFERENCES			
PHOTOGRAPHY						
Mission	Date	Pass	Camera	Frames	Classification	
MAPS OR CHARTS						
	ESPA-1, Sheet NK-				E.T.)	. 25X1
				ale 1:200,000 (SECR	E I )	
ACIC. WAC 32	29, Jul 59, scale 1:	.,500,000 (CON				
1						ı
DOCUMENTS						
DOCUMENTS 1. NSA.	23 N	ov 56 (TOP SEC	RET			25X
1. NSA. 2. NSA.	14 Au	g 57 (TOP SECF	RET			25X
1. NSA. 2. NSA.	14 Au	g 57 (TOP SEC	RET	dnaya Chast Tarims v, 1957 (UNCLASSIF	kovo Basseyna), TED)	25X
1. NSA. 2. NSA. 3. Sinitsyn, V Geological	14 Au 7. M. <u>Northwest Par</u> Institute, Academy	g 57 (TOP SECR t of the Tarim B of Sciences of	RET Severo-Zapac the USSR, Moscow	dnaya Chast Tarims v, 1957 (UNCLASSIF hi-Say, USSR, May 5		
1. NSA. 2. NSA. 3. Sinitsyn, V Geological	14 Au 7. M. <u>Northwest Par</u> Institute, Academy	g 57 (TOP SECR t of the Tarim B of Sciences of	RET Severo-Zapac the USSR, Moscow	, 1951 (UNCLASSIF		
1. NSA. 2. NSA. 3. Sinitsyn, V Geological 4. CIA. PIC	14 Au  7. M. <u>Northwest Part</u> Institute, Academy  7JR-7/59, <u>Uranium</u>	g 57 (TOP SECR t of the Tarim B of Sciences of	RET Severo-Zapac the USSR, Moscow	, 1951 (UNCLASSIF		25X
1. NSA. 2. NSA. 3. Sinitsyn, V Geological 4. CIA. PIC/ REQUIREMENT CIA. OSI/R-1	14 Au  7. M. Northwest Parl Institute, Academy  7JR-7/59, Uranjum 9  197/62	g 57 (TOP SECR t of the Tarim B of Sciences of	RET Severo-Zapac the USSR, Moscow	, 1951 (UNCLASSIF		
1. NSA. 2. NSA. 3. Sinitsyn, V Geological 4. CIA. PIC/	14 Au  7. M. Northwest Parl Institute, Academy  7JR-7/59, Uranjum 9  197/62	g 57 (TOP SECR t of the Tarim B of Sciences of	RET Severo-Zapac the USSR, Moscow	, 1951 (UNCLASSIF		
1. NSA. 2. NSA. 3. Sinitsyn, V Geological 4. CIA. PIC/ REQUIREMENT CIA. OSI/R-1 PROJECT NUMBE	14 Au  7. M. Northwest Parl Institute, Academy  7JR-7/59, Uranjum 9  197/62	g 57 (TOP SECR t of the Tarim B of Sciences of	RET Severo-Zapac the USSR, Moscow	, 1951 (UNCLASSIF		
1. NSA. 2. NSA. 3. Sinitsyn, V Geological 4. CIA. PIC/A REQUIREMENT CIA. OSI/R-1 PROJECT NUMBE	14 Au  7. M. Northwest Parl Institute, Academy  7JR-7/59, Uranjum 9  197/62	g 57 (TOP SECR t of the Tarim B of Sciences of	RET Severo-Zapac the USSR, Moscow	, 1951 (UNCLASSIF		
1. NSA. 2. NSA. 3. Sinitsyn, V Geological 4. CIA. PIC/ REQUIREMENT CIA. OSI/R-1 PROJECT NUMBE	14 Au  7. M. Northwest Parl Institute, Academy  7JR-7/59, Uranjum 9  197/62	g 57 (TOP SECR t of the Tarim B of Sciences of	RET Severo-Zapac the USSR, Moscow	, 1951 (UNCLASSIF		
1. NSA. 2. NSA. 3. Sinitsyn, V Geological 4. CIA. PIC/ REQUIREMENT CIA. OSI/R-1 PROJECT NUMBE C-678/62	14 Au  7. M. Northwest Parl Institute, Academy  7JR-7/59, Uranjum 9  197/62	g 57 (TOP SECR t of the Tarim B of Sciences of	RET Severo-Zapac the USSR, Moscow	, 1951 (UNCLASSIF		